


**Directive 1999/5/EC –
Notified Body Statement of Opinion**

Document No: 20081121-TC8317
Date: 2008-11-21



Underwriters Laboratories Inc.; 333 Pfingsten Rd.; Northbrook, IL 60062-2096

Notified Body Number: 0983

Issued To: Suprema Inc
16F Parkview Office Tower, Jeongja-Dong Bundang-Gu
Seongnam-Si , Gyeonggi-Do 463-863, KR

Manufacturer: Suprema Inc
16F Parkview Office Tower, Jeongja-Dong Bundang-Gu
Seongnam-Si , Gyeonggi-Do 463-863, KR

Product Designation: BioLite-NET

Product Description:

- Model : BLN-OC
 - Power Rating :
 - DC iutput 12V, 1.5A
 - AC adapter : 100 ~240 VAC,1.0A, 50/60Hz
 - Frequency Range: 13.56 MHz
 - Operating channel: 1CH
 - Modulation: ASK
 - Data rates: 1kbps
 - Antenna type: Coil Antenna
 - Transmitter Type
 - Inductive loop coil transmitter
 - Transmitter Class
 - Product class 1
 - Extream Temperature Range
 - Category I (General)
 - Construction of Equipment
 - Single unit
 - Type of Equipment
 - Fixed Station
 - Transmitter
 - Simplex
 - Integral Antenna

Directive 1999/5/EC – Notified Body Statement of Opinion

Document No: 20081121-TC8317
Date: 2008-11-21



Underwriters Laboratories Inc.; 333 Pfingsten Rd.; Northbrook, IL 60062-2096
Notified Body Number: 0983

Scope of Opinion (Essential Requirements)	Applied Specifications / Standards	TCF Identification	Results
Article 3.1(a) - Health	Not Specified	Not Provided	No Opinion/ Decision Rendered on Health compliance.
Article 3.1(a) - Safety	EN 60950-1: 2001+A11:2004	ESTCS0811-001	Compliant
Article 3.1(b) - EMC	ETSI EN 301 489-1 V1.6.1 (2005-09) ETSI EN 301 489-3 V1.4.1 (2002-08) EN 55022:1998+A1:2000+A2:2003 Class B EN 50130-4:1995 + A1:1998 +A2:2003 EN 61000-3-2:2006 EN 61000-3-3:1995+A1:2001+A2:2006	ESTCE0811-003 ESTCE0811-001	Compliant
Article 3.2 - Radio Spectrum Use	EN 300 330-2 V1.3.1 (2006-04) EN 300 330-1 V1.5.1 (2006-04)	ESTR0811-010	Compliant

Our opinion in accordance with Annex IV of Council Directive 1999/5/EC on radio equipment and telecommunications equipment and the mutual recognition of their conformity is that the apparatus identified above complies with the requirements of that directive stated in the above scope.

The Scope of the evaluation and opinion relates to the submitted documents only.

Issued By:

Robert DeLisi
Underwriters Laboratories Inc.

Reviewed By:

Randy Ivans
Underwriters Laboratories Inc.